UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/780,701	02/19/2004	Iwao Sugiura	042113	3201	
38834 7590 08/24/2007 WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP			EXAMINER		
1250 CONNEC	CTICUT AVENUE, NV		WARREN, MATTHEW E		
	SUITE 700 WASHINGTON, DC 20036		ART UNIT	PAPER NUMBER	
	.,		2815		
			MAIL DATE	DELIVERY MODE	
			08/24/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
		10/780,701	SUGIURA ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Matthew E. Warren	2815			
eriod fo	The MAILING DATE of this communication apports Reply	pears on the cover sheet with the	correspondence address			
	IORTENED STATUTORY PERIOD FOR REPLY	VIS SET TO EXPIRE 2 MONTH	1(S) OR THIRTY (30) DAVS			
WHIC - Exte after - If NC - Failu Any	CHEVER IS LONGER, FROM THE MAILING Downsions of time may be available under the provisions of 37 CFR 1.1 or SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period vare to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be twill apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	DN.  Itimely filed  m the mailing date of this communication.  IED (35 U.S.C. § 133).			
tatus						
1)	Responsive to communication(s) filed on 17 M	lay 2007.				
2a)	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	153 O.G. 213.			
isposit	ion of Claims					
4)⊠	Claim(s) 1-28 is/are pending in the application.					
	4a) Of the above claim(s) 3,6 and 22-28 is/are	withdrawn from consideration.				
5)	Claim(s) is/are allowed.					
	Claim(s) <u>1,2,4,5,7-19 and 21</u> is/are rejected.					
·	Claim(s) is/are objected to.					
8)	Claim(s) are subject to restriction and/o	r election requirement.				
pplicat	ion Papers	•				
9)[	The specification is objected to by the Examine	er.				
10)	The drawing(s) filed on is/are: a) acc	epted or b)□ objected to by the	Examiner.			
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. So	ee 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex					
riority ı	under 35 U.S.C. § 119					
	Acknowledgment is made of a claim for foreign ⊠ All b) Some * c) None of:	priority under 35 U.S.C. § 119(a	a)-(d) or (f).			
	1. Certified copies of the priority document		·			
	2. Certified copies of the priority document	• •	<del></del>			
	3. Copies of the certified copies of the prior		ved in this National Stage			
* (	application from the International Bureau See the attached detailed Office action for a list		·			
·	see the attached detailed Office action for a list	of the certified copies not receive	·ea.			
ttachmer		<del>(                                  </del>				
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) Linterview Summar Paper No(s)/Mail I				
3) 🔲 Infor	rmation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	5) Notice of Informal 6) Other:				

## **DETAILED ACTION**

This Office Action is in response to the Amendment filed on May 21, 2007.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 2, 4, 5, 7-9, and 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Domae (US Pub. 2002/0005584 A1) in view of Vigna et al. (US 6,605,873 B1).

In re claim 1, Domae shows (fig. 4) a semiconductor device comprising a substrate (100); a first multilayer interconnection structure (107A) formed on said substrate; and second multilayer interconnection structure (107B) formed on said first multilayer interconnection structure, said first multilayer interconnection structure including a first interlayer insulation film (107A) and a first interconnection layer (101A not labeled but next to area 105) included in said first interlayer insulation film; said second multilayer interconnection structure including a second interlayer insulation film (107B) and a second interconnection layer (101B) included in said second interlayer insulation film, said first multilayer interconnection structure including a pillar (not labeled, but 109 in other layers) vertically extending straight from a surface of said substrate and reaching at least said second multilayer interconnection structure (the via

at the very left of the device), said first interconnection layer being formed so as to avoid said pillar. The pillar is formed in a region of the substrate right underneath the electrode pad (102). Domae shows all of the elements of the claims except the pillar being provided on a device isolation structure. Vigna shows (figs. 1-3) a semiconductor device in which a mechanical stress bearing structure (31) comprising pillar/via/plug portions (24, 19, and 12) is formed beneath an electrode pad (28). The mechanical stress bearing structure is formed on the device isolation structure (field oxide regions 6) of the substrate. With this configuration, mechanical stress exerted during a wire bonding process is distributed to the peripheral areas of substrate and reduced on the active region components (3) (col. 3, lines 20-36). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the pillar structure of Domae by forming it on a device isolation structure as taught by Vigna to distribute stress from the device regions of the substrate to the device isolation regions during a wiring bonding process.

In re claim 2, Domae shows (fig. 4) that said pillar has a layered structure identical to a layered structure of said first interconnection layer in said first multilayer interconnection structure.

In re claim 4, Domae shows (fig. 4) that said pillar has an edge part engaging to a bottom surface (101A) of said second multilayer interconnection structure.

In re claim 5, Domae shows (fig. 4) that said pillar extends further in said second multilayer interconnection structure and has a layered structure identical to a layered

structure of said second interconnection layer in a part thereof extending in said second multilayer interconnection structure.

In re claim 7, Domae shows (fig. 4) an electrode pad (102) is formed on said second multilayer interconnection structure.

In re claim 8, the references do not specifically disclose that the plural numbers of pillars occupy at least 15% of the area. However, It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the pillars in a desired amount suitable for the electrode pad reinforcement, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

In re claim 9, Domae shows (fig. 4) that there is formed an active device (105) in region of said substrate right underneath said electrode pad.

In re claim 13, Domae does not specifically disclose said pillar has a Young modulus of 30GPa or more. However, the pillar inherently has such a property since it has the same structure and materials as the instant invention.

In re claim 14, Domae shows (fig. 4) that in said first multilayer interconnection structure, said pillar is formed with plural numbers so as to be located at both sides of an interconnection pattern forming a part of said first interconnection layer. Figure 2B, shows an overhead view in which the pillar (11) surrounds the devices region.

In re claims 15 and 16, Vigna shows (figs. 1-3) that said pillar (15) forms a wall extending continuously on said surface of said substrate. The pillar extends

continuously along a circumference of said substrate in said first and second multilayer interconnection structures and form a guard ring.

Page 5

Claims 10-12 and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Domae (US Pub. 2002/0005584 A1) in view of Vigna et al. (US 6,605,873 B1) as applied to claim 1 above, and further in view of the Applicant's Prior Art Figures 1-4 (APAF).

In re claims 10-12 and 17-19 concerning the first and second interlayer insulating films each having a desired Young's Modulus, Domae and Vigna do not disclose those properties of the film. However, the APAF 1 shows that a first interlayer insulating film (14-17) and a second interlayer insulating film (18-21) each have the desired properties of the claimed invention in that the first film has Young's Modulus lower than the Young's Modulus of the second film. The specification on pages 7-12 lists all of the properties of the first interlayer insulating film of the porous organic film and the second interlayer insulating film of a CVD material. With such a configuration, the semiconductor device combined with the metallization structure has reduced signal delay and high speed operation. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the insulation materials of Domae and Vigna by using the low Young's Modulus first interlayer insulation film and the higher Young's Modulus second interlayer insulation film as taught by the APAF to form a device having reduced signal delay and high speed operation.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Domae (US Pub. 2002/0005584 A1) in view of Vigna et al. (US 6,605,873 B1) as applied to claim 1 above, and further in view of Sugiyama et al. (US Pub. 2002/0040986 A1).

In re claim 20, Domae and Vigna show all of the elements of the claims except said pillar is provided in plural number on said substrate, and wherein there is formed a reinforcement structure in said first multilayer interconnection structure so as to extend diagonally between said plural pillars. Sugiyama et al. shows (fig. 7) a more detailed interconnection layout in which the interconnect structure (104) is formed diagonally in the multilayered structure of layers 88, 90, and 92 and within the boundaries of the pillar structure (102 and 106). While Sugiyama only discloses this configuration to form a specific connection scheme in the interconnect structure, it is inherent that such a structure also provides reinforcement to the interlayer insulation. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the interconnect of Domae and Vigna by forming the interconnects in a diagonal configuration as taught by Sugiyama to form a specific routing scheme.

## Response to Arguments

Applicant's arguments with respect to claims 1, 2, 4, 5, 7-19, and 21 have been considered but are most in view of the new ground(s) of rejection.

Application/Control Number: 10/780,701

Art Unit: 2815

## Conclusion

Page 7

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew E. Warren whose telephone number is (571) 272-1737. The examiner can normally be reached on Mon-Thur and alternating Fri 9:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Parker can be reached on (571) 272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew E. Warren

August 16, 2007